

# INDEX MAPS.

**T.1N R.2W 2<sup>nd</sup> Mer.**

	86		85		85		84		84		83	
88	6	104	5	104	4	104	3	105	2	106	1	83
	<del>102</del>		<del>102</del>		<del>103</del>		<del>104</del>		<del>105</del>		<del>106</del>	
88	7	101	8	101	9	100	10	105	11	103	12	83
	<del>101</del>		<del>100</del>		<del>100</del>		<del>102</del>		<del>104</del>		<del>106</del>	
87	18	99	17	98	16	98	15	101	14	97	13	82
	<del>99-100</del>		<del>99</del>		<del>98</del>		<del>97</del>		<del>103</del>		<del>97</del>	
87	19	96	20	96	21	95	22	94	23	94	24	82
	<del>96</del>		<del>96</del>		<del>95</del>		<del>95</del>		<del>94</del>		<del>93</del>	
86	30	93	29	92	28	91	27	90	26	89	25	82
	<del>93</del>		<del>93</del>		<del>92</del>		<del>91</del>		<del>90</del>		<del>89</del>	
86	31	92	32	91	33	91	34	90	35	88	36	82
	<del>79</del>		<del>79</del>		<del>79</del>		<del>80</del>		<del>80</del>		<del>81</del>	

**T.2N R.2W 2<sup>nd</sup> Mer.**

	111	111	111	111	110	110						
114	6	127	5	125	4	121	3	122	2	123	1	110
	<del>130</del>	<del>130</del>	<del>130</del>	<del>130</del>	<del>119</del>	<del>119</del>	<del>119</del>					
113	7	127	8	125	9	121	10	122	11	122	12	110
	<del>129</del>	<del>129</del>	<del>128</del>	<del>123</del>	<del>123</del>	<del>119</del>						
113	18	126	17	124	16	121	15	121	14	117	13	109
	<del>128</del>	<del>126</del>	<del>128</del>	<del>118</del>	<del>118</del>	<del>117</del>						
112	19	126	20	124	21	120	22	116	23	116	24	109
	<del>130</del>	<del>130</del>	<del>118</del>	<del>118</del>	<del>116</del>	<del>116</del>						
112	30	125	29	124	28	120	27	115	26	114	25	109
	<del>118</del>	<del>127</del>	<del>127</del>	<del>117</del>	<del>115</del>	<del>115</del>						
112	31	125	32	123	33	120	34	115	35	114	36	108
	<del>108</del>	<del>108</del>	<del>107</del>	<del>107</del>	<del>107</del>	<del>107</del>						

The figures on the lines refer to the page.

Township. N 2. North of Range N 2. West of the 2<sup>nd</sup> Mer.  
Ch. L.

South Boundary (Indiana)

- West On the S. Boundary of Sec. 36. T. 2. N. R. 2. W.  
23. 18 To a W. Oak 50. in. diam. stands in the line.  
40. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a Beech 8. in.  
diam. bears S. 59. W. 1. lbs. dist. & a  $\frac{1}{4}$  in.  
" " S. 11. E. 1. " "  
55. 50 To a W. Oak 50. in. diam. stands in the line.  
60. 00 Set a Post for the Cor. to Sec. 35. & 36. T. 2. N. R. 2. W.  
from which a Poplar 36. in. diam. bears N. 24. lbs. dist.  
& a Sugar 12. in. diam. bears N. 45. E. 33. lbs. dist.  
This mile is 3<sup>rd</sup> rate Beech Upland. The first  $\frac{1}{4}$  of a  
mile is rich level Land.

- West On the S. Boundary of Sec. 35. T. 2. N. R. 2. W.  
20. 00 To a W. Oak 20. in. in diam. stands in the line.  
40. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a Beech 12.  
in. diam. bears N. 62. E. 22 lbs. dist. & a Sugar. 16.  
" " " N. 28. E. 17. " "  
58. 40 To a Beech 12. in. diam. stands in the line.  
80. 00 Set a Post for the Cor. to Sec. 34. & 35. T. 2. N. R. 2. W.  
from which a Beech 24. in. diam. bears S. 82. W. 58. lbs. dist.  
& a  $\frac{1}{4}$  in. " " " N. 43. E. 40. " "  
Down a Small Drain; 2<sup>nd</sup> rate Beech Upland.

- West On the S. Boundary of Sec. 34. T. 2. N. R. 2. W.  
23. 00 To a Beech 18. in. diam. stands in the line  
34. 50 To Salt Lick Creek. Course. N.  
40. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a Sugar 24.  
in. diam. bears S. 14. W. 22 lbs. dist. & a Beech 30.  
" " " N. 82. E. 60 " "  
80. 00 Set a Post for the Cor. to Sec. 33. & 34. T. 2. N. R. 2. W.  
from which a Beech 12. in. diam. bears S. 53. W. 8.  
lbs. dist. & a  $\frac{1}{4}$  in. diam. bears N. 19. E. 40. lbs. dist.  
Land on this mile is mostly Creek Bottoms Timber. Buckle

- West On the S. Boundary of Sec. 33. T. 2. N. R. 2. W.

T. N 2. N. Co. N 2. M. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

13. 20 To a Poplar 50. in? diam? stands in the line.  
 110. 00 Marked the  $\frac{1}{4}$  Sec. post on an B. Oak 24 in? diam?  
 80. 00 Set a Post for the Cor. to Sec? 32. & 33. in T. N 2. N. Co.  
 N. 2. M. from which a W. Oak 48. in? diam? bears S. 29.  
 E. 40. lbs. dist & a Hickory 15. " " " N. 36.  
 E. 24. " " " This mile is poor hilly land.  
 Timber a few Oaks & Buckes. &c.

- West On the S. Boundary of Sec. 32. T. N 2. N. Co. N 2. M.  
 37. 20 To a Buck 20. in? diam? stands in the line.  
 110. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a Buck 24.  
 in? diam? bears S. 69. E. 25. lbs. dist. & a Do 10.  
 " " " S. 52. E. 13. " "  
 80. 00 Set a Post for the Cor. to Sec? 31. & 32. in T. N 2. N. Co.  
 N. 2. M. from which a W. Oak 36. in? diam? bears N.  
 9. W. 27. lbs. dist & a Buck 8. " " " S.  
 9. E. 19. " " " This mile is poor Buck hills.  
 with a few Buckes & Oaks.

- West On the S. Boundary of Sec. 31. T. N 2. N. Co. N 2. M.  
 28. 35 To a W. Oak 18. in? diam? stands in the line.  
 110. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a  
 Buck 14. in? diam? bears N. 40. E. 9. lbs. dist. & a  
 Do 14. " " " S. 43. W. 10. " "  
 119. 50 To a B. Oak 40. in? diam? stands in the line.  
 77. 00 To a Creek 10. lbs. wide. Course N. W.  
 50. 96 That Barkers Post which stands for the Cor. to Towns 1. &  
 2. in Range 3. & 4. & 2. in Range N 2. M. 2<sup>nd</sup> Mer.  
 This mile is 3<sup>rd</sup> rate hills. Timber. Oak, Buck. &c.

## East Boundary.

- North On the E. Boundary of Sec. 36. T. N 2. N. Co. N 2. M.  
 16. 50 To a Creek 40. lbs. wide. Course N. W.  
 26. 65 To a B. Oak 30. in? diam? stands in the line.  
 110. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a Buck  
 14. in? diam? bears S. 63. E. 16. lbs. dist. & a Buck 10.

in? diam? bears N. 22. W. 24. lbs. dist.

65. 30 To a Buck 12. in? diam? stands in the line.  
 80. 00 Set a Post for the cor. to Sec? 25. & 36. from which a  
 ~ Buck 8. in? diam? bears N. 31. E. 15. lbs. dist & a  
 Do 11. " " " S. 69. W. 16. " "  
 This mile is Creek Bottom & 3<sup>rd</sup> rate hill Land.  
 Timbered with Buck & Oak.

- North On the East Boundary of Sec. 25. T. N. L. N. R. N. L. W.  
 8. 00 To a Buck 90. links wide Course W.  
 110. 00 Set a Post for the cor. to 1/4 Sec. from which a Buck 16.  
 in? diam? bears S. 74. W. 11. lbs. dist & a Do 12.  
 " " " N. 26. W. 29. lbs. dist.  
 112. 00 To a Creek 75. lbs. wide. Course N. E.  
 52. 00 Crossed the above Creek bearing W.  
 80. 00 Set a Post for the cor. to Sec? 24. & 25. from which a  
 Buck 12. in? diam? bears S. 10. W. 11. lbs. dist & a  
 Poplar 10. " " " N. 22. W. 16. " "  
 This mile is 2<sup>nd</sup> rate Buck Upland.

- North On the E. Boundary of Sec. 21. T. N. L. N. R. N. L. W.  
 11. 78 To a Buck 11. in? diam? stands in the line.  
 140. 00 Set a Post for the cor. to 1/4 Sec. from which a Red Oak  
 12. in? diam? bears S. 28. W. 21. lbs. dist & a Poplar  
 6. " " " N. 58. E. 13. " "  
 51. 00 To a Buck 30. in? diam? stands in the line.  
 80. 00 Set a Post for the cor. to Sec? 13. & 24. from which a Dogwood  
 12. in? diam? bears S. 70. E. 18. lbs. dist & a cherry tree  
 11. " " " S. 89. W. 18. " " ~ The Land in  
 this mile is the worst of 3<sup>rd</sup> rate hills. Buck Oak & Briers.

- North On the E. Boundary of Sec. 13. T. N. L. N. R. N. L. W.  
 23. 15 To a Buck 16. in? diam? stands in the line.  
 40. 00 Made the 1/4 Sec. post on a Sugar 9. in? diam?  
 49. 50 Struck the Creek & crossed it 100. lbs. wide bears W.  
 72. 00 Line. cut the Bank of the same Creek but did not cross it.



T. N. 2. S. R. N. 2. M. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

80. 00 Marked the cor. to Sec. 13. & 12. in a Buck 15. in. diam.  
Lanes 2<sup>nd</sup> & 3<sup>rd</sup> rate Buck hills.

North On the E. Boundary of Sec. 12. T. N. 2. S. R. N. 2. M.

24. 00 To a Buck 18. in. diam. stands in the line.

40. 00 Set a Post for the cor. to 14 Sec. from which a  
Buck 18. in. diam. bears N. 32. E. 32. lbs. dist. & a  
To 12. " " " S. 60. W. 26. " "

70. 50 To a Sugar 12. in. diam. stands in the line.

80. 00 Set a Post for the cor. to Sec. 1. & 12. from which a  
Buck 8. in. diam. bears S. 9. W. 19. lbs. dist. & a  
To 10. " " " N. 25. W. 11. " "

This mile is first rate Buck Upland; Sink holes.

North On the E. Boundary of Sec. 1. T. N. 2. S. R. N. 2. M.

31. 05 To a W. Oak 14. in. diam. stands in the line.

40. 00 Set a Post for the cor. to 14 Sec. from which a  
Sugar 10. in. diam. bears N. 10. E. 17. lbs. dist. & a  
Log 6. " " " S. 30. W. 26. " "

51. 32 To a W. Oak 20. in. diam. stands in the line.

80. 00 Set a Post for the cor. to Towns 2. & 3. Minutes  
taken in a wet day with a pencil. and they are so  
defused that they cannot be Read.  
This mile is first rate Buck Upland; many Sink holes

## North Boundary.

West On the S. Boundary of Sec. 36. T. 3. S. R. N. 2. M.

40. 00 Marked the post for the cor. to 14 Sec. on an Oak 20 in. diam.

80. 00 Set a Post for the cor. to Sec. 36. & 35. in T. N. 3. S.  
R. N. 2. M. from which a Sugar 10. in. diam.  
bears N. 63. E. 43. lbs. dist. & a Buck 13. in. " "  
" S. 80. W. 35. " " & Oak.

This mile is first & 2<sup>nd</sup> rate Upland; Timber. Buck

West On the S. Boundary of Sec. 2. T. 3. S. R. N. 2. M.

24. 07 To a Buck 8. in. diam. stands in the line.

T. N. I. N. R. N. I. M. 2nd Mer. Ind.

Ch. Un.  
40. 00 Marked the 1/4 Sec. Post on a Buck. - in. diam.  
80. 00 Set a Post for the cor. to Sec. 34 & 35. T. N. 3. N. R. N. 2.  
M. from which a M. Ash 8. in. diam. bears S. 57. W. 15.  
lbs. dist. & an Ironwood 7. in. " " N. 49. E. 14.  
" " This mile is poor hilly Land, Timber. Buck.

West.  
40. 00 On the S. Boundary of Sec. 34. T. N. 3. N. R. N. 2. M.  
Set a Post for the cor. to 1/4 Sec. from which a Red Oak 10.  
in. diam. bears N. 65. E. 9. lbs. dist. & a Buck 12.  
" " " N. 44. E. 9. " "  
80. 00 Set a Post for the cor. to Sec. 33 & 34. T. N. 3. N. R. N.  
2. M. from which a Buck 7. in. diam. bears N. 84. E. 21.  
lbs. dist. & a Buck 18. in. diam. bears S. 42. W. 18. lbs. dist.  
The last 1/4 of this mile is down a Small Drain. 4 lbs. wide  
3rd rate hilly Land. Timber. Buck. & Oak.  
Town line Banders felt. 125 lbs. N. of the Post. Dec. 13th.

West  
40. 00 On the South Boundary of Sec. 33. T. N. 3. N. R. N. 2. M.  
Set a Post for the cor. to 1/4 Sec. from which a Buck 10. in.  
diam. bears N. 71. W. 17. lbs. dist. & a Do 7. "  
" " S. 71. E. 17. " "  
80. 00 Set a Post for the cor. to Sec. 32 & 33. from which a  
Buck 12. in. diam. bears N. 45. E. 8. lbs. dist. & a  
Do 7. " " " S. 7. E. 18. " "

West  
40. 00 On the S. Boundary of Sec. 32. T. N. 3. N. R. N. 2. M.  
Set a Post for the cor. to Sec. from which a  
Poplar 8. in. diam. bears S. 82. W. 25. lbs. dist.  
80. 00 Set a Post for the cor. to Sec. 31 & 32. from which a  
Sum 20. in. diam. bears N. 79. E. 4. lbs. dist. & a  
B. Oak 7. " " " S. 79. W. 3rd rate Land.

West  
40. 00 On the S. Bound. of Sec. 31. T. N. 3. N. R. N. 2. M.  
Set a Post for the cor. to 1/4 Sec. from which an Elm. 8.  
in. diam. bears S. 52. W. 10. lbs. dist. & a Buck 11.  
" " " N. 52. E. 10. " "

T. N. 2. N. R. N. 2. W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

80. 00 To the Post set for the Cor. to Sec. 21. & 36.  
 Lund. 3<sup>d</sup> rate: Timber. Oak. &c.

## West Boundary.

North On the East Bound<sup>y</sup> of Sec. 36. T. N. 2. R. N. 3. W.  
 8. 00 To a Buck 30. lbs. wide. Course N. 20. W.  
 8. 69 To a Sugar 8. in. diam. stands in the line.  
 15. 00 To Buck Bottom.  
 19. 75 To a Buck 20. in. diam. stands in the line  
 40. 00 Set a Post for the Cor. to 44 Sec. from which a  
 Buck 9. in. diam. bears S. 41. W. 16. lbs. dist. of a  
 Do 9. " " " N. 58. E. 3.1 " "  
 59. 42 To a W. Ash 11. in. diam. stands in the line.  
 71. 07 To a Gum 24 " " " " " "  
 80. 00 Set 21. lbs. S. of the Standard Post; and set a Post for  
 the Cor. to Sec. 25. & 36. T. N. 2. N. R. 3. W. 2<sup>nd</sup> Mer.  
 from which a Buck 14. in. diam. bears S. 59. W. 29.  
 lbs. dist. of a Do 6. " " " N. 28. E. 4.  
 " " ; Steep hills; thin soil; Timber. Oak & Buck.

North On the E. Boundary of Sec. 25. T. N. 2. N. R. N. 3. W.  
 6. 38 To a Sugar 24. in. diam. stands in the line.  
 18. 00 To a Run 16. lbs. wide. Course W.  
 25. 30 To a Buck 10. in. diam. stands in the line.  
 40. 00 Set a Post for the Cor. to 44 Sec. from which a  
 B. Oak 18. in. diam. stands N. 42. E. 10. lbs. dist. of a  
 Sugar 10. " " " S. 33. W. 8. " "  
 68. 68 To a Buck 11. in. diam. stands in the line  
 80. 00 Set a Post for the Cor. of Sec. 24. & 25. T. N. 2. N. R.  
 N. 3. W. 2<sup>nd</sup> Mer. from which a Buck 18. in. diam.  
 bears N. 10. W. 22. lbs. dist. of a Do 4. " "  
 " S. 36. W. 3. " "  
 This mile is steep. Rocky hills. inequalities of Soil.  
 Timber. Oak. Buck. &c. &c.

North On the E. Boundary of Sec. 24. T. N. 2. N. R. N. 3. W.



T. N. 2. N. R. N. 2. W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

3. 35 To a Poplar 38. in. diam. stands in the line.  
 35. 00 Hill Land. & Poor soil.  
 38. 00 To a Creek 200. lbs. wide. Course. N. from S. E.  
 40. 00 In the above Creek. no Trees.  
 45. 00 Out of the said Creek on the W. side  
 51. 76 To the said Creek. Course N. W. Bottom.  
 59. 34 To a Buck 17. in. diam. stands in the line  
 80. 00 Set a Post for the line to Sec. 13. & 24. T. N. 2. N. R. N.  
 3. W. from which a Buck 16. in. diam. bears S. 16. E.  
 8. lbs. dist. To a Jack Oak 16. " " " S. 79. E. 22.  
 " " ; Poor Soil; Timber. Oak. & Buck.

- North On the E. Boundary of Sec. 13. T. N. 2. N. R. N. 3. W.  
 12. 72 To a W. Oak 16. in. diam. stands in the line.  
 37. 00 To a Creek 6. lbs. wide. Course W.  
 40. 00 Set a Post for the line to 1/4 Sec. from which a Buck 17.  
 in. diam. bears N. 5. W. 47. lbs. dist. & a Sec. 19.  
 " " " S. 54. W. 15. " "  
 53. 51 To a Buck 17. in. diam. stands in the line. Land  
 not fit for Cultivation; Strip & Stony.  
 78. 50 To a Creek 40. lbs. wide. Course S. W.  
 80. 00 Set a Post for the line to Sec. 12. & 13. T. N. 2. N. R. N.  
 3. W. 2<sup>nd</sup> Mer. from which an Elm 14. in. diam. bears S.  
 49. E. 13. lbs. dist. To a Buckeye. 12. " " " N.  
 33. W. 44. " " ; Good Soil of Buck Bottom;

- North On the East Boundary of Sec. 12. T. N. 2. N. R. N. 3. W.  
 1. 30 To a Creek 40. lbs. wide; Course S. E.  
 4. 00 To the same. " " " " S. W.  
 10. 00 To Bottom Land.  
 24. 79 To a W. Oak 17. in. diam. stands in the line;  
 30. 92 To a Poplar 38. " " " " " "  
 40. 00 Set a Post for the line to 1/4 Sec. from which a Buck  
 30. in. diam. bears N. 12. E. 21. lbs. dist. & a Sec.  
 13. " " " S. 60. W. 22. " "  
 75. 50 To a Buck 17. in. diam. stands in the line.



## T. N. 2. N. R. 1. 2. M. 2nd Mer. Ind.

80. 00 Get a Post for the cor. to Sec. 1. & 12. T. N. 2. N. R. 1. 2. M. 2nd Mer. from which a Buck 4. in. diam. bears S. 64. E. 12. lbs. dist. & a Sec. 13. in. diam. bears N. 17. E. 6. lbs. dist. Shup hills dividing East Timber. Buck &c.

North On the E. Boundary of Sec. 1. T. N. 2. N. R. 1. 3. M.

1. 38 To a W. Oak 16. in. diam. stands in the line.

12. 50 To a Buck 10. lbs. wide; course S. E.

20. 81 To a B. Oak 22. in. diam. stands in the line.

40. 00 Get a Post for the cor. to 14 Sec. from which a Poplar 10. in. diam. stands S. 54. E. 22. lbs. dist. & a Hickory 16. " " " " S. 60. W. 16. " " "

59. 30 To a Hickory 10. in. diam. stands in the line.

80. 00 Get a Post for the cor. to Towns 2. & 3. & Ranges 2. & 3. North. from which a Buck 30. in. diam. bears S. 60. E. 24. lbs. dist. & a W. Ash. 9. " " " S. 73. W. 6. " " ; Sandhills; soil middling Oak. Hickory & Buck. Timber.

## Subdivisions.

North Between Sec. 35. & 36. T. N. 2. N. R. 1. 2. M. 2nd Mer.

17. 30 To an R. Oak 20. in. diam. stands in the line.

40. 00 Marked the 1/4 Sec. post on a W. Oak 30. in. diam.

62. 00 To a B. Walnut 20. in. diam. stands in the line.

80. 00 Get a Post for the cor. to Sec. 26. 27. 34. & 35. from which a Buck 36. in. diam. bears N. 22. E. 18. lbs. dist. & a

Sec. 10. " " " " S. 45. E. 89. " " "

3rd Buck & Oak Hills on this side.

North Between Sec. 25. & 26. T. N. 2. N. R. 1. 2. M.

9. 20 To a Buck 30. in. diam. stands in the line.

40. 00 Marked the 1/4 Sec. post on a Buck 30. in. diam. On the Bank of a Creek 100 lbs. wide. having crossed it a 39.

Bearing West.

65. 00 crossed the same creek bearing West S. E.

68. 80 crossed " " " " West

## T. N. 2. N. R. N. 2. W. 2nd Mer. Ind.

80. 00 Set a Post for the Cor. to Sec. 23. 24. 25. & 26. from which  
a Buck 40. in? diam? bears N. 40. E. 30. lbs. dist? & a W.  
Walnut. 6. " " " N. 50. W. 31. " "  
Creek Bottom. & 1<sup>st</sup> rate Buck & Oak Hills.

North Between Sec. 34. & 35. T. N. 2. N. R. N. 2. W.  
40. 00 Marking the 1/4 Sec. post on a Buck 6. in? diam?  
42. 00 To a Small run bearing W.  
60. 00 To a Buck 6. in? diam? stands in the line.  
80. 00 Set a Post for the Cor. to Sec. 26. 27. 34. & 35. from which  
a Poplar 18. in? diam? bears N. 16. E. 11. lbs. dist? & a  
Do 6. " " " S. 65. W. 21. " "  
Steep ridges. Buck. & Oak Timber

North Between Sec. 26. & 27. T. N. 2. N. R. N. 2. W.  
30. 00 To a Creek 90. lbs. wide. Course West.  
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a  
Maple 10. in? diam? bears N. 86. W. 10. lbs. dist? & a  
Do 6. " " " N. 84. E. 15. " "  
50. 40 To a Gum 30. in? diam? stands in the line.  
80. 00 Marking the Cor. to Sec. 22. 23. 26. & 27. on a Gum  
22. in? diam?; Creek Bottom & 3<sup>d</sup> rate Sand.  
Hills; Oak & Buck Timber.

West Between Sec. 25. & 36. T. N. 2. N. R. N. 2. W.  
39. 53 Set a Post for the Cor. to 1/4 Sec. from which a Buck 20.  
in? diam? bears N. 60. E. 30. lbs. dist? & a W. Oak 16.  
" " " N. 29. E. 14. " "  
69. 00 To a Creek 20. lbs. wide. Course N. W.  
79. 06 Unuck the Post set for the Cor. to Sec. 25. 26. 35. & 36.  
This mile is 3<sup>d</sup> rate Buck Hills.

West Between Sec. 26. & 35. T. N. 2. N. R. N. 2. W.  
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck  
20. in? diam? bears N. 60. E. 30. lbs. dist? & a W. Oak.  
16. " " " N. 29. E. 14. " "

T. N. 2. N. 2. N. 2. M. 2nd Mer. Ind.<sup>a</sup>

50. 00 Struck the Post for the Cor. to Sec. 26. 27. 34. & 35.  
This mile is over 3<sup>d</sup> rate Buck hills.

East On a Standard line Between Sec. 24. & 25.  
40. 00 Set a Temp<sup>y</sup> post for the Cor. to 1/4 Sec.  
75. 80 Intersected the N. & S. line 60. Mts. S. of the Post set  
for the Cor. to Sec. 24. & 25.

West On True line Between Sec. 24. & 25. T. N. 2. N. 2. M.  
39. 40 Marked the post for the Cor. to 1/4 Sec. in a Buck 16. in. diam.  
75. 80 Struck the post set for the Cor. to Sec. 23. 24. 25. & 26.  
This mile is 2<sup>nd</sup> & 3<sup>d</sup> rate hill Land. Oak & Buck &c. timber

North Between Sec. 23. & 24. T. N. 2. N. 2. M. 2nd Mer.  
28. 50 To a Buck 16. in. diam. stands in the line.  
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 14.  
in. diam. bears N. 71. E. 13. Mts. dist. 8. Sec. 12.  
" " " S. 32. W. 25. " "  
50. 00 Set a Post for the Cor. to Sec. 13. 14. 23. 24. from which  
an Iron rod 6. in. diam. bears S. 28. W. 8. Mts. dist.  
& a Buck 8. " " " N. 72. W. 12. " "  
The Land in this mile is third rate Buck Hills.

West Between Sec. 23. & 26. T. N. 2. N. 2. M.  
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 20.  
in. diam. bears N. 8. E. 22. Mts. dist. 8. Sec. 14.  
" " " S. 48. E. 35. " "  
55. 00 To a Buck 100 Mts. wide. Course South.  
80. 00 Set the post set for the Cor. to Sec. 22. 23. 26. & 27.  
This mile is Buck Bottom & 2<sup>nd</sup> rate Buck upland.

North Between Sec. 22. & 23. T. N. 2. N. 2. M.  
25. 00 To a Buck 100 Mts. wide. Course S.E. line but a Buck  
& Course on the W. Bank at 35. chains.  
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Sugar  
12. in. diam. bears N. 42. E. 13. Mts. dist. 8. Sec. 15.



T. N. 2. N. R. N. 2. W. 2nd Mer. Ind<sup>a</sup>

117

80. 00 in. diam. bears N 35. W. 25. Ws dist.  
Set a Post for the Cor. to Sec. 14. 15. 22. & 23. from which  
a Beech 14. in. diam. bears N 86. W. 26. Ws dist. & a  
Do 9. " " " S. 60. E. 16. " "  
3<sup>d</sup> rate hills. & a little Beech Bottom.

North  
29. 55 Between Sec. 13. & 14 T. N. 2. N. R. N. 2. W. 2nd Mer.  
Do a Beech 12. in. diam. stands in the line  
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Beech 20  
in. diam. bears N. 62. E. 22 Ws. dist. & a Sugar tree 10.  
" " " N. 16. W. 26. " "  
55. 00 Struck the creek 90 Ws. wide, Course N. Cut a Bend  
& came on to the N. side of the creek at 67. chains.  
50. 00 Set a Post for the Cor. to Sec. in a creek no bearing trees.  
2nd & 3<sup>d</sup> rate Land. Upland Beech.

West  
39. 00 Between Sec. 27. & 34 on True line. T. N. 2. N. R. N. 2. W.  
Struck Lick Creek 50. Ws. bearing N.  
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Beech 24.  
in. diam. bears N. 8. W. 36. Ws. dist. & a Cherry tree 6.  
" " " N. 83. E. 24. " "  
47. 00 Line out a Bend in the Game Creek.  
50. 00 To the Post set for the Cor. of Sec. 27. 28. 33. & 34 T. N. 2.  
N. R. N. 2. W. This mile is Brushy Ridges. & 2nd  
rate Beech Bottom. Strong Smell of Salt water on creek.

East  
40. 00 On a Random line Between Sec. 13. & 24. T. 2. R. 2.  
Set a Temp<sup>y</sup> Post for the Cor. to 1/4 Sec.  
77. 00 Intersected the N. & E. line 100 Ws. S. of the Post set for  
the Cor. to Sec. 13. & 24.

West  
38. 55 On True line Between Sec. 13. & 24. T. N. 2. N. R. N. 2. W.  
Set the Temp<sup>y</sup> Post for the Cor. to 1/4 Sec. at over. dist. on  
true line, from which a W. Walnut 6. in. diam.  
bears N. 28. E. 10. Ws. dist. & an Elm 7. " "  
" N. 81. E. 23. " "



## T. N. 2. N. R. N. 2. W. 2nd Mer. India

77. 00 To the Post set for the Cor. to Sec? 13. 14. 23. & 24.  
The Land on this mile is 3<sup>d</sup> rate Brushy hills.  
The timber consists of a few scattering Oaks.

- West On a True line Between Sec? 14. & 23. T. N. 2. N. R. 2. W.  
41. 70 Set the Temp? post for the Cor. to 1/4 Sec. at the aver. dist.  
on true line from which a Buck 16. in? diam? bears  
N. 55. W. 16. lbs. dist? & a 21. in? diam? bears N. 15. E. 37. lbs. dist?  
118. 00 To a Buck 17. lbs. wide, Course S.  
82. 10 To the post set for the Cor. of Sec? 11. 15. 22. & 23.  
Creek Bottom 1/2 mile wide. the balance high Buck hills.

- West On True line Between Sec? 15. & 22. T. N. 2. N. R. 2. W.  
41. 20 Mark the Temp? post for the Cor. to 1/4 Sec. at the aver. dist.  
on True line to a Sugar 16. in? diam?  
82. 40 To the post set for the Cor. to Sec? 15. 16. 21. & 22.  
High Brushy. Barren ridges; a few Oaks & Buckers

- West Between Sec? 22. & 27. T. N. 2. N. R. 2. W. 2nd Mer.  
30. 50 To a Buck 12. in? diam? stands in the line  
40. 00 Marked the Cor. to 1/4 Sec. at the aver. dist. on true line  
for the Cor. to 1/4 Sec.  
62. 00 To a Buck 16. in? diam? stands in the line.  
80. 00 To the post set for the Cor. to Sec? 21. 22. 27. & 28.  
This mile is 3<sup>d</sup> rate hill Land; Timber. Buck & Oak.

- West On True line Between Sec? 21. & 28. T. N. 2. N. R. 2. W.  
40. 00 Set a Post for the Cor. to 1/4 Sec. at the aver. dist. on true line  
from which a Hornbeam 8. in? diam? bears N. 18. E. 9.  
lbs. dist? & an Elm W. — — — — — W. E. 34 lbs.  
40. 10 To a Buck 110 lbs. wide, Course N.  
50. 00 To the post set for the Cor. to Sec? 20. 21. 28. & 29.  
This mile is 3<sup>d</sup> rate Buck hills.

- West On True line Between Sec? 30. & 31. T. N. 2. N. R. 2. W.  
110. 13 To a Red Oak 13. in? in which stands at aver. dist. on true

line for the Cor. to  $\frac{1}{4}$  Sec.

77. 00 Crossed a Creek 6. lbs. wide bearing North West.  
 80. 26 To the Post set by Barber. as Cor. to Sec. 25. & 36. T. 2. R. 3.  
 This mile is the worst of 3<sup>rd</sup> rate hills, Timber. Oak & Beech

- East On a Random line Between Sec. 1. & 12. T. 2. A. R. 2. M.  
 40. 00 Got a Temp<sup>ly</sup> post for the Cor. to  $\frac{1}{4}$  Sec.  
 76. 80 Intersected the A. & T. line 200 yds. Post set for the Cor. to  
 Sec. 1. & 12.

- West On True line Between Sec. 1. & 12. T. 2. A. R. 2. M.  
 38. 40 Got a Post for the Cor. to  $\frac{1}{4}$  Sec. at the aver. dist. on True  
 line from which a W. Oak 20. in. diam. bears N. 3. E. 8. lbs.  
 dist. & a Beech 12. in. diam. bears North 18. lbs. dist.  
 63. 00 To a Creek 15. lbs. wide. because of  
 76. 80 To the Post set for the Cor. to Sec. 1. 2. 11. & 12.  
 This mile is good 2<sup>nd</sup> rate Farming upland.  
 Timber. Beech. & Oak.

- West On True line Between Sec. 2. & 11. T. 2. A. R. 2. M.  
 40. 00 To a Beech 30. in. diam. which stands at the aver.  
 dist. on True line for the Cor. to  $\frac{1}{4}$  Sec.  
 50. 00 To the post set for the Cor. to Sec. 2. 3. 10. & 11.  
 This mile is Poor. Barren hills, Timber. Oaks & Beeches few.

- West On True line Between Sec. 3. & 10. T. 2. A. R. 2. M.  
 110. 00 Got a Post for the Cor. to  $\frac{1}{4}$  Sec. at the aver. dist. on true  
 line from which a Post Oak 12. in. diam. bears S. 3. M.  
 24. lbs. dist. & a Do. Do. 12. " " " " 60. M. 44. lbs.  
 50. 00 To the post set for the Cor. to Sec. 3. 4. 9. & 10. T. 2. R. 2.  
 This mile is the worst of 3<sup>rd</sup> rate hills: Barren & brushy

- East On a Random line Between Sec. 12. & 13. T. 2. R. 17. M.  
 40. 00 Got a Temp<sup>ly</sup> post for the Cor. to  $\frac{1}{4}$  Sec.  
 77. 64 Intersected the A. & T. line 200 yds. Post set for the Cor.  
 to Sec. 12. & 13.

T. N 2. N. Co. N 2. W. 2nd Mer. Ind<sup>a</sup>

West On True line Between Sec<sup>s</sup> 12. & 13. T. N 2. N Co. 2. W.  
 38. 52 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. at the cor. dist on True  
 line from which a Buck 36. in<sup>s</sup> diam<sup>s</sup> bears S. 38. E. 15  
 hrs. dist. & a Do 16. in<sup>s</sup> diam<sup>s</sup> bears S. 23. W. 22 hrs. dist  
 77. 64 To the Post set for the Cor. to Sec<sup>s</sup> 11. 12. 13. & 14.  
 Timber on this mile is Hickory & Beech.

North Between Sec<sup>s</sup> 33. & 34. T. N 2. N Co. 2. W. Sec<sup>s</sup> 13<sup>th</sup> 1804.  
 29. 94 To a Buck 16. in<sup>s</sup> diam<sup>s</sup> stands in the line  
 40. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which Buck 18.  
 in<sup>s</sup> diam<sup>s</sup> bears N. 20. W. 24 hrs. dist. & a Do 9.  
 " " " N. 41. E. 12. " "  
 48. 10 To a Poplar 36. in<sup>s</sup> diam<sup>s</sup> stands in the line.  
 50. 00 Set a Post for the Cor. to Sec<sup>s</sup> 27. 28. 33. & 34. No Timber  
 Hilley. Briery Brush &c. Timber Buck. Oak &c.  
 Post fell in Barrens; no timber.

North Between Sec<sup>s</sup> 27. & 28. T. N 2. N Co. 2. W. 2nd Mer.  
 25. 10 To a B. Oak 18. in<sup>s</sup> diam<sup>s</sup> stands in the line.  
 40. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a  
 Buck 12. in<sup>s</sup> diam<sup>s</sup> bears S. 69. W. 19 hrs. dist. & a  
 Do " " " N. 45. W. 34 " "  
 53. 50 To Shlt Chick brush 2 chains wide. Course W.  
 50. 00 Set a Post for the Cor. to Sec<sup>s</sup> 21. 22. 27. & 28. from  
 which a W. Oak 18. in<sup>s</sup> diam<sup>s</sup> bears N. 70. W. 35 hrs. dist.  
 & a Poplar 20. " " " S. 38. E. 28. " "  
 This mile is hilly Beech Sand. Tops of hills.  
 Briery Brushy &c.

North Between Sec<sup>s</sup> 21. & 22. T. N 2. N Co. 2. W.  
 18. 30 To a Gum 24 in<sup>s</sup> diam<sup>s</sup> stands in the line.  
 40. 00 Set a Post for the Cor. to  $\frac{1}{4}$  Sec. from which a Buck  
 12. in<sup>s</sup> diam<sup>s</sup> bears N. 47. E. 29 hrs. dist. & a Do  
 18. " " " N. 25. W. 50. " "  
 80. 00 Set a Post for the Cor. to Sec<sup>s</sup> 15. 16. 21. & 22. from  
 which a Buck 18. in<sup>s</sup> diam<sup>s</sup> bears N. 64. W. 30 hrs. dist



T. N 2. N. Co. N 2. M. 2nd Mer. Ind<sup>a</sup>.

A Buck 16. in? diam? bears E. 51. N. 25. lbs. dist  
Hilly 3<sup>d</sup> rate Land. Timber Oak & some Buck.

- North Between Sec? 15. & 16. T. N 2. N. Co. N 2. M.  
110. 00 Set a Post for the cor. to 1/4 Sec. from which a Sugar.  
12. in? diam? bears N. 14. E. 14 lbs. dist & a Buck  
24. " " " E. 54. N. 21. " "  
119. 00 To a Buck 12. in? diam? stands in the line.  
80. 00 Set a Post for the cor. to Sec? 9, 10, 15. & 16. from which  
a Buck 10. in? diam? bears E. 87. N. 31. lbs. dist & a  
Sugar & " " " N. 18. E. 38. " "  
Land and Timber the same as on the last mile.

- North Between Sec? 9. & 10. T. N 2. N. Co. N 2. M. 2nd Mer.  
15. 00 To a Buck 12. in? diam? stands in the line.  
110. 00 Set a Post for the cor. to 1/4 Sec. from which a M. Oak  
20. in? diam? bears E. 28. N. 16. lbs. dist & a Buck  
12. " " " N. 28. E. 22. " "  
57. 50 To a Buck 18. in? diam? stands in the line.  
80. 00 To the post set for the cor. to Sec? 3, 4, 9. & 16. from  
which a M. Oak 26. in? diam? bears N. 18. N. 9. lbs.  
dist & a Buck 12. " " " N. 87. E. 53. lbs. dist  
Land & Timber the same as above.

- North Between Sec? 3. & 4. T. N 2. N. Co. N 2. M.  
7. 00 To a M. Oak 18. in? diam? stands in the line.  
40. 00 Set a Post for the cor. to 1/4 Sec. from which a Buck  
12. in? diam? bears E. 55. N. 28. lbs. dist & a Sec  
12. " " " N. 23. N. 3. 4 " "  
53. 60 To a Hickory 20. in? diam? stands in the line.  
81. 40 To the post set for the cor. to Sec? 3. & 4. where a Buck  
11. in? diam? is cor; Over hilly Barren Land.

- North Between Sec? 14. & 15. T. N 2. N. Co. N 2. M.  
23. 00 To a Poplar 36. in? diam? stands in the line.  
40. 00 Set a Post for the cor. to 1/4 Sec. from which a Buck 16.



T. N 2. N. Co. N 2. M. 2nd Mer. Ind.<sup>a</sup>

in? diam? bears N. 8. W. 9. lbs. dist. of a Beech 17

" " " N. 62. E. 18. " "

59. 10 To a Beech 12. in? diam? stands in the line,

50. 00 To a Beech 12. " " which is br. to Sec? 10. 11. 14. & 15.

For. Barren. Hilby. Stoney, & Dry Land; 3<sup>rd</sup> rate.

North Between Sec? 10. & 11. T. N 2. N. Co. N 2. M.

18. 00 To a Poplar 24. in? diam? stands in the line,

40. 00 Set a Post for the br. to 1/4 Sec. from which a Beech  
24. in? diam? bears N. 6. E. 12. lbs. dist. of a Sec

10. " " " N. 14. W. 25. lbs. dist.

58. 50 To a M. Oak 10. in? diam? stands in the line,

50. 00 To a M. Oak 9. " " which " for the br. to Sec?  
2-3. 10. & 11. Land & Timber the same as above.

North Between Sec? 2 & 3. T. N 2. N. Co. N 2. M. Sec. 13<sup>th</sup>

17. 00 To a Hickory 12. in? diam? stands in the line,

40. 00 Set a Post for the br. to 1/4 Sec. from which a B. Oak 20.  
in? diam? bears N. 2. W. 24. lbs. dist. of a Sec 14.

" " " G. 64. M. 36. " "

57. 50 To a B. Oak 20. in? diam? stands in the line,

54. 40 Set a Post for the br. to Sec? 3. & 4. 4.50 lbs. E. of the  
Post from which a Hickory 8. in? diam? bears N. 4.  
M. 30. lbs. dist. of a Sec 46. " " " G. 46.

M. 18. " " Land & Timber the same as the last.

North Between Sec? 11. & 12. T. N 2. N. Co. N 2. M.

14. 50 To a Beech 8. in? diam? stands in the line,

40. 00 Set a Post for the br. to 1/4 Sec. from which a Sugar  
12. in? diam? bears N. 43. M. 22. lbs. dist. of a Beech  
12. " " " N. 68. E. 47. " "

50. 00 Set a Post for the br. to Sec? 1. 2. 11. & 12. from  
which a Beech 36. in? diam? bears N. 25. M. 20. lbs.  
dist. of a Sec 12. " " " N. 39. E. 25. lbs. dist.  
Hilby 2<sup>nd</sup> rate Land; Timber. Oak, & some Beech.

## T. &amp; P. N. R. N. 2. W. 2nd Mer. Ind. a.

- North Between Sec? 1. & 2. T. & P. N. R. N. 2. W. 2nd Mer.
5. 75 To a Beech 8. in? diam? stands in the line.
40. 00 Set a Post for the cor. to  $\frac{1}{4}$  Sec. from which a Hickory 8. in? diam? bears N. 71. E. 15. lbs. dist. & a Sec 7.
- " " " N. 18. W. 32. " "
66. 75 To a Beech 11 in? diam? stands in the line.
54. 45 Set a Post on the Indian line 4. 50. lbs. E. of the Post; from which a Sugar 12. in? diam? bears S. 24. E. 8. lbs. dist. & a Beech 8. " " " N. 39. W. 20
- " " ; Land &c. the same as on the last mile.

- East On a Random line Between Sec? 11. & 14. T. 2. N. R. 2.
40. 00 Set the Temp? post for the cor. to  $\frac{1}{4}$  Sec.
56. 80 Intersected the N. & S. line 60. lbs. S. of the Post, set for the cor. to Sec? 11. 12. 13. & 14.
- 3<sup>d</sup> rate Oak Gang. Tops of hills barren.

- West On True line Between Sec? 11. & 14. T. 2. N. R. 2. W.
40. 40 To a Beech 11. in? diam? which stands at the aver. dist. on True line. for the cor. to  $\frac{1}{4}$  Sec.
41. 00 To a beech 150 lbs. wide; Course S.
50. 00 To the Post set for the cor. to Sec? 10. 11. 14. & 15.

- West On True line Between Sec? 10. & 15. T. 2. N. R. 2. W.
40. 45 Set the Temp? post which stands for the cor. to  $\frac{1}{4}$  Sec. at the aver. dist. on True line, in Barrens. no timber.
50. 90 To the Post set for the cor. to Sec? 9. 10. 15. & 16.
- Land & Timber the same as on the last mile.

- North Between Sec? 32. & 33. T. 2. N. R. 2. W. 2nd Mer.
39. 30 To a B. Oak 20. in? diam? stands in the line.
40. 00 Set a Post for the cor. to  $\frac{1}{4}$  Sec. from which a Beech 8. in? diam? bears N. 9. E. 6. lbs. dist. & a Sec 11. in? diam? bears S. 16. E. 26. " "
59. 50 To a W. Oak 18. in? diam? stands in the line.
50. 00 Set a Post for the cor. to Sec? 28. 29. 32. & 33. T. 2. N. R. 2. W.

## T. N. 2. N. R. N. 2. M. 2nd Mer. Indiana

from which a Hickory 8 in. diam. bears N. 52. E. 20. lbs. dist. & a Sugar 5. " " " S. 27. W. 20 lbs. dist.  
This mile is Hilky. 3<sup>rd</sup> rate. Land & Timber. Oak. Buck. &c.

North Between Sec. 28. & 29. T. N. 2. N. R. N. 2. M.  
35. 00 To a Gum 30 in. diam. stands in the line.  
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck  
7 in. diam. bears S. 16. W. 16. lbs. dist. & a  
" " " N. 58. E. 12. " "  
44. 50 To a Buck 20 in. diam. stands in the line. (building  
60. 00 To a bridge of Rocks. 15 feet perpendicular, good stone for  
80. 00 Set a Post for the Cor. to Sec. 20. 21. 28. & 29. from  
which a Buck 8 in. diam. bears N. 30. E. 22. lbs. dist.  
& a Sugar 12. " " " S. 20. W. 25. " "  
Land & Timber. the same as on the last mile; Sec. 14<sup>th</sup>.

North Between Sec. 20. & 21. T. N. 2. N. R. N. 2. M.  
22. 50 To an Ash 7 in. diam. stands in the line.  
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a  
Poplar 20 in. diam. bears S. 44. E. 80. lbs. dist. & a  
B. Oak 30. " " " S. 76. E. " " "  
75. 00 To a Buck 36 in. diam. stands in the line.  
80. 00 Set a Post for the Cor. to Sec. 16. 17. 20. & 21. from  
which a Buck 24 in. diam. bears S. 44. E. 30. lbs. dist.  
& a " 11. " " " N. 39. W. 43. " "  
Land & Timber. the same as on the last mile.

North Between Sec. 16. & 17. T. N. 2. N. R. N. 2. M. 2nd Mer.  
8. 10 To a M. Ash 24 in. diam. stands in the line.  
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Sugar 10  
in. diam. bears N. 58. E. 10. lbs. dist. & a " 7.  
" " " S. 21. W. 38. " "  
80. 00 Set a Post for the Cor. of Sec. 8. 9. 16. & 17. from which  
a Buck 26 in. diam. bears S. 80. W. 19. lbs. dist. & a  
" 7. " " " N. 54. E. 14. " "  
Hilky & 2<sup>nd</sup> rate Land & Timber. Buck. & Oak.



## T. N. 2. N. Co. N. 2. M. Ind. M. Ind.

- North Between Sec. 8. & 9. T. N. 2. N. Co. N. 2. M. Ind. M. Ind.  
 3. 00 To Salt Lick Creek 2 chains wide. Course N.  
 29. 70 To a M. Oak 14. in. diam. stands in the line.  
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 18.  
 in. diam. bears N. 34. E. 11. lbs. dist. & a Sec. 8.  
 " " " N. 67. W. 21. " "  
 45. 00 To a Quarry of Sandstone.  
 61. 50 To a Run 50. lbs. wide; Course N. 70. W.  
 80. 00 Set a Post for the Cor. to Sec. 4. 5. 8. & 9. from which a  
 Sugar 12. in. diam. bears N. 8. E. 24. lbs. dist. & a  
 M. Oak 20. " " " S. 30. W. 21. " "  
 Sand Hilky Purr. & Brushy. & 3<sup>d</sup> rate, mostly Oak timber

- North Between Sec. 4. & 5. T. N. 2. N. Co. N. 2. M. Ind. M. Ind.  
 5. 36 To a Buck 14. in. diam. stands in the line.  
 110. 00 Set a Post for the Cor. to 1/4 Sec. from which a  
 M. Oak 11. in. diam. bears N. 70. E. 17. lbs. dist. & a  
 Sapras - " " " N. 18. E. 21. " "  
 64. 25 To a Buck 14. in. diam. stands in the line.  
 84. 00 To a Sec 10 " " " on a Division line for  
 the Cor. to Sec. 4. & 5. Sand & Timber same as the last.  
 4 chains & 50. Links to the E. of the Post on the Bound. line.

- North Between Sec. 31. & 32. T. N. 2. N. Co. N. 2. M. Ind. M. Ind.  
 10. 00 To a M. Oak 12. in. diam. which stands for the Cor. to 1/4 Sec.  
 80. 00 Set a Post for the Cor. to Sec. 29. 30. 31. & 32. from which  
 a Buck 8. in. diam. bears S. 4. E. 24. lbs. dist. & a  
 Sec. 11. " " " S. 84. E. 17. " "  
 Sand Hilky Purr. & 3<sup>d</sup> rate. Timber. Oak. &c. &c.

- North Between Sec. 29. & 30. T. N. 2. N. Co. N. 2. M. Ind. M. Ind.  
 110. 01 Set a Post for the Cor. to 1/4 Sec. from which a B. Oak 20. in.  
 diam. bears N. 60. E. 14. lbs. dist. & a M. Oak. 18. "  
 " " " West 26. " "  
 54. 20 To a B. Oak 20. in. diam. stands in the line.  
 80. 00 Set a post for the Cor. to Sec. 19. 20. 24. & 30. from which



T. N 2. N. Co. N 2. M. Ind. Mu. Ind<sup>a</sup>

Sugar 11. in? diam? bears N. 61. E. 6. lbs. dist. of a  
 L<sup>a</sup> — — — — — S. 3. M. M. — —  
 Land & timber the same as on the last mile.

North Between Secs 19 & 20. T. N 2. N. Co. N 2. M.  
 28. 21 To a Beech 28. in? diam? stands in the line.  
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Poplar 4.5. in?  
 diam? bears N. 67. E. 21. lbs. dist. of a Sugar 9. — —  
 — — — — — S. 67. E. 15. — —  
 59. 37 To a Poplar 15. in? diam? stands in the line.  
 72. 00 To a Creek 2. chains wide; Course N. 50. W.  
 80. 00 Set a Post for the Cor. to Secs 17. 18. 19. & 20. from which  
 a Beech 18. in? diam? bears S. 25. W. 4. lbs. dist. of a  
 L<sup>a</sup> 7. — — — — — N. 25. E. 43. — —  
 This mile is Hilby Por. 3<sup>rd</sup> rate Land; Timber Oak. &c.

West<sup>\*</sup> Between Secs 17 & 20. T. N 2. N. Co. N 2. M. Ind. Mu.  
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Beech 8.  
 in? diam? bears S. 61. W. 6. lbs. dist. of a L<sup>a</sup> — — 11.  
 — — — — — N. 61. E. 39. — —  
 62. 50 To a Creek 2. chains wide. Course S. 10. E.  
 80. 00 To the Post set for the Cor. to Secs 17. 18. 19. & 20.

East On the Random line Between Secs 17 & 20.  
 40. 00 Set the Temp<sup>l</sup> Post for the Cor. to 1/4 Sec.  
 80. 00 Intersected the N. & E. line 90 links. S. of the Post set  
 for the Cor. to Secs 16. 17. 20. & 21.  
 Land & Timber the same as on the last mile. Tre 15<sup>th</sup>.

North Between Secs 17 & 18. T. N 2. N. Co. N 2. M. Ind. Mu.  
 10. 00 To a Beech 24. in? diam? stands in the line.  
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a  
 Beech 14. in? diam? bears S. 46. E. 30. lbs. dist. of a  
 Sugar 7. in? — — — — — N. 5. W. 13. — —  
 80. 00 Set a Post for the Cor. to Secs 7. 8. 17. & 18. from  
 which a Hickory 8. in? diam? bears S. 74. E. 18. lbs. dist.

J. N. 2 N. R. N. 27h 2<sup>nd</sup> de Mar. (Ind. a)

ch. lky.

and a log on fire in the house N 48 W. 16 miles west.  
Lands rich and timber some as in the last mile.

North Between Sul. 7 & 8. T. No 9. A.R. No 27.

22.78 To a Buck 24 in dia base on the line

40.00 Let, apart for the com. to  $\frac{1}{4}$  Sec from which c

Surge 7 in min bar at 1636 8 miles out; 10

Do u u u i 462710 u u

65.25 Ton 77 Oct 20 in mid buds in the tree.

80.00 Let a part for the com. to Sub. 5. Co. 7. & 8 from which we

Beach 11 in air has 56 E-14 nucleide; r is

W Oak 18 a a a K66 W16 a a

Some soil on the timber down nearly the last mile.

North Briton Vol. 5 & 6. T. N. 2 N. N. 2 N.

40.00 Set apart for the cor. to J. L. See free barn no timber

84.00 Cow Kelly barren banded to a W Jack 10 in. dia  
Stays on the chine in line 4 ch. East of the post  
set for the Cow to Sub 5. & 6. Poor barren Kelly; Tim-  
ber Oak &c.

East Chas Randem Ave Lettuce Lab. 28-133. T. No. 2. R.R.  
No. 277.

45.00 Set a temporary post for the cor. to 1/4 sec.

80.00 In the section N. 1/2 Sec. 10 at 60 miles South of the  
Ypsilanti for the cor. to sec. 27, 28, 33, 34

Wet On the trail line between Sep 28. 1833. T M 2.  
N. W. No 27.

4000 Set the temporary post at the arm out in the true line  
from the cor. to 1/4 sec. from the line in barrow  
noting bar.

8000 To the present for the cr 42w. 28, 29, 32 & 33.  
Over barren lands 3rd rate.

West On the true line between Sep. 29, 132. T. N. 2. N.

D. No 2 N. R. No 2 W. 2<sup>nd</sup> & 3<sup>rd</sup> Mer. Ind<sup>d</sup>

N. No 2 W.

40.00 Set the tamps first at the aver. dist on the true line  
for the cor. to  $\frac{1}{4}$  sec made the cor on a W. C. 10  
11 in dia

80.00 To the post set for the cor to sec? 29.30 31. & 32  
This mile is from 30<sup>th</sup> rate Kelly's land Linton Oak

West On the true line between Sec. 16 & 21. T. No 2 N. R. No  
2 W. 2<sup>nd</sup> & 3<sup>rd</sup> Mer.

39.30 Set the tamps first at the aver. dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which it is

Beck 20 in dia bears East 37 miles dist; & c  
Says 18 p a c S 38 W. 27

57.00 Struck Lick Creek 2 — miles; course N. 47° W.

78.60 To the post set for the cor. to Sec? 16. 17. 20. & 21.  
The 1<sup>st</sup>  $\frac{1}{2}$  mile is level creek flats; The 2<sup>nd</sup>  $\frac{1}{2}$  mile  
is Willy Beck and Oak 2<sup>nd</sup> rate rate fence.

East On a Random line between Sec. 18 & 19. T. No 2 N. R.  
No 2 W.

40.00 Set a tamps first for the cor. to  $\frac{1}{4}$  sec. from

82.20 Intersection the N. & S line 120 links South of the post  
set for the cor. to sec? 17. 18. 19. & 20.

West On the true line between Sec. 18 & 19. T. No 2 N. R. No  
2 W.

6.00 Struck the Lick Creek 200 links wide; course N. 30° W.

40.00 To a Beck 8 in dia which stands at the aver. dist  
on the true line for the cor. to  $\frac{1}{4}$  sec.

44.00 To Lick Creek 200 links wide; course S.

82.20 To the post set for the cor. to Sec. 18. & 19. on the W. & E line  
Some creek bottom on the 1<sup>st</sup>  $\frac{1}{2}$  mile; The 2<sup>nd</sup>  $\frac{1}{2}$  mile  
Kelly; Linton Beck & c. Sec. 16<sup>th</sup>.

East On a Random line between Sec. 9 & 16. T. No 2 N. R. No  
2 W. 2<sup>nd</sup> & 3<sup>rd</sup> Mer.

*I. N. 2 N. H. N. 277. 2<sup>nd</sup> Mrs. (Ind.?)*

40.00 Let the temp<sup>rs</sup> first get the cor. to  $\frac{1}{4}$  sec.

40.00 Get the trap first for the cor. to J4 sec.  
80.00 Intra setra the N.S. line 60 miles South of the sec set  
for the cor. to sec. 9, 10, 15 & 16.

West On the true line between Sec. 9 & 16. T. N. 2 N. R.  
No. 2 N.

20.00 To Sick Creek 200 miles min; Census N 30 W.

40.00 Toa Buck 8 in dia which stands at the corner with  
on the true line of the cor. to 1/4 sec. from (1)

70. 110 Tr Dick Creek 200 miles wide; course S 79 W.

77.00 n n 200 n n 179 W.

8000 To the first set for the em. to Aug. 8. 9. 16. & 17

This mile Kelly 30<sup>th</sup> rate land; Timbu Crk, some Red  
On the Crk.

East Orandum line between Sub. P. & 17. I No 2. N.  
N. N. 2. N.

4000 Get the temp. of the air in the sun to 1/4 sec.

81.00 Intersect the N. S. line 70 miles North of the post.  
Set for the cor. to Lat. 8. 9. 16. & 17.

West On the trail line between Sta. 8 & 17. T. No. 2 N. R. N. 2 W.

19.00 To Lake Creek - 7 miles wide; Leona S.

40571 Set the temp. of frost at the arctic dist. in the barometer for the cor. to 14 sec. from which a

Bank 7 in div. base N64 W. 12 links dist. to

29 Jan. 1846. 13 u

81.00 To the first lot for the err. to Sal. 7. 8. 17. & 18.

The slip of this mile is Creek bottom; The 2nd slip is Kelly & Surr.; Timber Oak, Dogwood &c.

West Cink. town line between Qu. 7. & 18. 2 N. 2 N. W. 1/4  
27 2nd 7m.

42.00 cut apart for the com. to '14 sec. on the true line from  
Machua Creek 30 in. in. base 156 W y. thick dist; to  
under Ho 8 n n n 156E 43 n n



T. N. 2 N. R. N. 27. 2<sup>nd</sup> Mer. (Ind.)

- 78.00 To a Creek 50 miles wide; hence S 20 W.  
 83.10 Over Kelly 3<sup>rd</sup> rate; lands To a Creek 11 in. distance  
 300 miles South of the first m. Pasture line for the  
 cor. to sub. 7 & 18. This mile Kelly 3<sup>rd</sup> rate; lands.  
 Timber Creek Oak, &c.

- West On the true line between Sub. 4 & 9 T. N. 9 N. R. N. 27.  
 26.50 To a Creek 50 miles wide; hence S 50 W.  
 40.50 Set a post for the cor. to 1/4 sec. at the av. dist. in the  
 true line from which a  
 Creek 8 in. distance N 86 E. 13 miles dist; 10  
 B. Walnut 11 in. a - N 71 W. 28 in. a -  
 80.00 Over Kelly 3<sup>rd</sup> rate; lands to the first set for the cor. to sub.  
 4. 5. 8. 9. When crossing the Creek in the true  
 line there was a strong scent of salt water.

- West On the true line between Sub. 5 & 8 T. N. 9 N. R. N. 27.  
 40.35 Set the temporary post at the av. dist. in the true line  
 for the cor. to 1/4 sec. from which a  
 Apple 24 in. dia. bears N 37 W. 45 miles dist;  
 80.70 To the first set for the cor. to sub. 5. 6. 7 & 8.  
 Over Kelly lands timber Oak, &c.

- West On the true line between Sub. 6 & 7 T. N. 2 N. R. N. 27. 2<sup>nd</sup> Mer.  
 42.00 Set a post at the av. dist. in the true line for the cor.  
 to 1/4 sec. from which a  
 Creek 20 in. dia. bears N 58 E. 23 miles dist; 10  
 Do 14 in. a - N 58 W. 17 in. a -  
 57.00 To a Run 50 miles wide; hence S 12 W.  
 84.00 To the first set for the cor. to sub. 6 & 7 T. N. 2 N. R. N. 27.  
 Lands in this 1/2 mile is Kelly 3<sup>rd</sup> rate; dry  
 Marked a Creek 18 in. dia. 400 miles South of  
 Pasture's Post cor. to sub. 1 & 2 T. N. 2 N. R. N. 3 W.

*T. N. 2 N. R. N. 2 W. 2nd Mer. (Ind. 2nd)*

131

East On a Random line between Sep. 20. 129 T. N. 2 N. R. N. 2 W.

40.00 To a temporary Post for the cor. to 1/4 Sec.

80.00 Intersected the N. 13 line 50 miles South of the Post etc for the cor. to Sep. 20. 21. 28 & 29.

West On the true line between Sep. 20. 129 T. N. 2 N. R. N. 2 W.

40.00 Got the temporary Post at the aver. dist on the true line for the cor. to 1/4 Sec. from which a

73 Oak 7 in. dia. line N. 23 E. 8 miles dist;

80.00 To the Post etc for the cor. to Sep. 19. 20. 29. & 30

Land & Kelly Prop. 3rd rate; Timber Oak &c.

West Between Sep. 19 & 30 T. N. 2 N. R. N. 2 W.

3.00 To a Brook 200 miles on do; Come South.

25.00 " " D. Brook 200 " " " " N. 45 W.

40.00 To a Sugar 10 in dia box which stands for the cor. to 1/4 Sec.

81.90 To a Post on the Range line which stands for the cor. to Sep. 24 & 25 T. N. 2 N. R. N. 2 W.

Land & Lord cude timber Sugar as with the last man.

Surveyed by Tupper & Stone.

I certify that the foregoing Transcript of the  
Field notes of T. N. 2 N. R. N. 2 W. 2nd Mer.  
Ind. 2nd has been compared with the Original  
notes in this Office and found to be correct.  
Surveyor General's Office,  
Cincinnati, Dec. 28. 1839

*P. S. Sealing*

Sur. Genl.